2018 RAM 3500/ 4500/5500 CHASSIS CAB













SELECT STANDARD FEATURES

6.4L HEMI® V8/6-speed automatic

Air conditioning

Alternator — 180-amp

Auxiliary input jack for mobile devices

Auxiliary power outlets — Two, 12-volt

Auxiliary Switches — Five

Battery — 730-amp (one per vehicle with gas engine; two per vehicle with diesel engine)

Engine cooling — Heavy-duty

Headlamps — Automatic

Lamps — Cab-clearance

Rear — Antispin differential

Shock absorbers — Heavy-duty

Speed control

Stabilizer bar — Front

Steering — Power, recirculation ball

USB port — 1.5-amp fully functional

Windshield wipers — Variable/intermittent

SAFETY & SECURITY

Air Bags⁽²⁾ — Multistage front

Brakes — Power-assisted four-wheel antilock disc

Electronic Stability Control⁽³⁾ System

ParkView® Rear Back-Up Camera(5)

Sentry Key® Theft Deterrent System — Engine immobilizer

ENGINES	HORSEPOWER	TORQUE
	410 hp	429 lb-ft (3500 SRW)
6.4L HEMI V8	370 hp	429 lb-ft (3500)
	366 hp	429 lb-ft (4500 / 5500)
6.7L Cummins® Turbo Diesel	320 hp	650 lb-ft
6.7L High Output Cummins Turbo Diesel	325 hp	750 lb-ft

2018 RAM 3500/ 4500/5500 CHASSIS CAB

RAM 3500 CHASSIS CAB MAX JOB RATING INFORMATION* (3500 DD)

	Powertrain		Regular Cab 60" CA	Regular Cab 60" CA	Regular Cab 84" CA	Crew Cab 60" CA	Crew Cab 60" CA
	rowertrain		(4x2 / 4x4) SRW	(4x2 / 4x4) DRW	(4x2 / 4x4) DRW	(4x2 / 4x4) SRW	(4x2 / 4x4) DRW
		MAX GVWR	10,700 / 11,000	13,500	13,500	10,700 / 11,000	13,500
		MAX PAYLOAD	4,900 / 4,960	7,350 / 7,120	7,270 / 6,990	4,460 / 4,440	6,880 / 6,600
C AL LIEMIR VO	66RFE 6-speed	MAX GAWR FRONT	5,500	5,500	5,500	5,500	5,500
6.4L HEMI® V8 Automatic Tra	Automatic Transmission	MAX GAWR REAR	6,800	9,850	9,850	6,800	9,850
		MAX TOWING	15,050 / 14,810	14,700 / 14,470	14,620 / 14,340	14,610 / 14,290	14,230 / 13,950
		MAX GCWR	21,000	21,000	21,000	21,000	21,000
		MAX GVWR	10,700 / 11,000	14,000	14,000	10,700 / 11,000	14,000
		MAX PAYLOAD	4,770 / 4,830	7,720 / 7,490	7,640 / 7,360	4,330 / 4,310	7,240 / 6,970
C AL LIEMI VO	AISIN® Heavy-Duty 6-speed [MAX GAWR FRONT	5,500	5,500	5,500	5,500	5,500
6.4L HEMI V8 Automatic Transmission	MAX GAWR REAR	6,800	9,850	9,850	6,800	9,850	
	MAX TOWING	17,920 / 17,680	17,570 / 17,340	17,490 / 17,210	17,480 / 17,160	17,090 / 16,820	
	MAX GCWR	24,000	24,000	24,000	24,000	24,000	
		MAX GVWR	11,600 / 12,000	14,000	14,000	11,600 / 12,000	14,000
		MAX PAYLOAD	5,030 / 5,180	7,080 / 6,840	6,990 / 6,710	4,590 / 4,670	6,600 / 6,320
71 Cummine® Turbo Diocol	G56 6-speed	MAX GAWR FRONT	6,000	6,000	6,000	6,000	6,000
h / Climmins® Lirho Diesel ' '	Manual Transmission	MAX GAWR REAR	6,800	9,850	9,850	6,800	9,850
		MAX TOWING	19,280 / 19,030	18,930 / 18,690	18,840 / 18,560	18,840 / 18,520	18,450 / 18,170
		MAX GCWR	26,000	26,000	26,000	26,000	26,000
		MAX GVWR	11,600 / 12,000	14,000	14,000	11,600 / 12,000	14,000
6.7L Cummins High Output AISIN Heavy-Duty 6-speed Automatic Transmission	MAX PAYLOAD	4,870 / 5,020	6,920 / 6,680	6,830 / 6,550	4,430 / 4,510	6,440 / 6,160	
	AISIN Heavy-Duty 6-speed	MAX GAWR FRONT	6,000	6,000	6,000	6,000	6,000
	Automatic Transmission	MAX GAWR REAR	6,800	9,850	9,850	6,800	9,850
		MAX TOWING	19,120 / 18,870	23,770 / 23,530	23,680 / 23,400	18,680 / 18,360	23,290 / 23,010
		MAX GCWR	26,000	31,000	31,000	26,000	31,000

	RAM 3500 CHASSIS	S CAB MAX JOB	RATING INFORMATION*	(3500 DF 10K GVWR SRW)
--	------------------	---------------	---------------------	------------------------

Powertrain		Regular Cab 60" CA	Crew Cab 60" CA	
	ruweitiaiii		(4x2 / 4x4) SRW	(4x2 / 4x4) SRW
		MAX GVWR	10,000	10,000
		MAX PAYLOAD	4,200 / 3,960	3,760 / 3,440
	6-speed Automatic	MAX GAWR FRONT	5,500	5,500
	Transmission	MAX GAWR REAR	6,800	6,800
		MAX TOWING	15,050 / 14,810	14,610 / 14,290
6.4L HEMI V8		MAX GCWR	21,000	21,000
0.4L HEIVII VO		MAX GVWR	10,000	10,000
	AISIN Heavy-Duty	MAX PAYLOAD	4,070 / 3,830	3,630 / 3,310
	6-speed Automatic	MAX GAWR FRONT	5,500	5,500
	'	MAX GAWR REAR	6,800	6,800
	Transmission	MAX TOWING	17,920 / 17,680	17,480 / 17,160
		MAX GCWR	24,000	24,000
		MAX GVWR	10,000	10,000
		MAX PAYLOAD	3,600 / 3,350	3,160 / 2,840
	G56 6-speed Manual	MAX GAWR FRONT	6,000	6,000
	Transmission	MAX GAWR REAR	6,800	6,800
		MAX TOWING	17,450 / 17,200	17,010 / 16,690
6.7 Cummins		MAX GCWR	24,000	24,000
Turbo Diesel		MAX GVWR	10,000	10,000
	AISIN Heavy-Duty	MAX PAYLOAD	3,430 / 3,180	2,990 / 2,670
	6-speed Automatic	MAX GAWR FRONT	6,000	6,000
	'	MAX GAWR REAR	6,800	6,800
	Transmission	MAX TOWING	17,280 / 17,030	16, 840 / 16,520
		MAX GCWR	24,000	24,000

Weights given in Ib. *Maximum tow job rating numbers are for a properly equipped vehicle with a 150-Ib allowance for the driver. Additional upfits, options, equipment, passengers and cargo weights must be subtracted from tow/payload weight. Please see your dealer for additional information.

CA = Cab-to-Axle length. SRW = Single Rear Wheel. DRW = Dual Rear Wheel.

ALL RAM CHASSIS CAB INTERIORS*	Regular Cab	Crew Cab
Head Room (front / rear)	39.9	41.0 / 39.9
Hip Room (front / rear)	62.9	63.2 / 63.2
Shoulder Room (front / rear)	66.0	66.0 / 65.7
Leg Room (front / rear)	41.0	41.0 / 40.3
Seating Capacity	3	6

^{*}Specifications are based on 2017 model-year information.

EXTERIOR PAINT COLORS

EXTERIOR PAINT CULURS			
Delmonico Red	Flame Red	RV Match	Black Forest Green
Pearl Coat	Clear Coat	Walnut Brown Metallic	Pearl Coat
Blue Streak	True Blue	Bright Silver Metallic	Granite Crystal Metallic
Pearl Coat	Pearl Coat	Clear Coat	Clear Coat
Maximum Steel Metallic	Brilliant Black	Bright White	Pearl White
Clear Coat	Clear Coat	Clear Coat	

RAM 4500 CHASSIS CAB MAX JOB RATING INFORMATION*

Power	train	Regular Cab 60" CA (4x2 / 4x4)	Regular Cab 84" CA (4x2 / 4x4)	Regular Cab 108" CA (4x2 / 4x4)	Regular Cab 120" CA (4x2 / 4x4)	Crew Cab 60" CA (4x2 / 4x4)	Crew Cab 84" CA (4x2 / 4x4)
	MAX GVWR	16,500	16,500	16,500	16,500	16,500	16,500
	MAX PAYLOAD	9,660 / 9,270	9,500 / 9,120	9,350 / 9,000	9,210 / 8,940	9,080 / 8,730	8,940 / 8,640
6.4L HEMI® V8 with	MAX GAWR FRONT	6,500	6,500	7,000	7,000	7,000	7,000
AISIN® Heavy-Duty 6-speed Automatic Transmission	MAX GAWR REAR	12,000	12,000	12,000	12,000	12,000	12,000
Automatic manamiasion -	MAX TOWING	19,010 / 18,620	18,850 / 18,470	18,700 / 18,350	18,560 / 18,290	18,430 / 18,080	18,290 / 17,990
	MAX GCWR	26,000	26,000	26,000	26,000	26,000	26,000
	MAX GVWR	16,500	16,500	16,500	16,500	16,500	16,500
0.71.0	MAX PAYLOAD	8,920 / 8,560	8,730 / 8,350	8,640 / 8,230	8,560 / 8,170	8,310 / 7,960	8,170 / 7,870
6.7L Cummins® Turbo Diesel	MAX GAWR FRONT	7,250	7,250	7,250	7,250	7,250	7,250
with G56 6-speed Manual Transmission	MAX GAWR REAR	12,000	12,000	12,000	12,000	12,000	12,000
Manual Hansinission	MAX TOWING	20,270 / 19,910	20,080 / 19,700	19,990 / 19,580	19,910 / 19,520	19,660 / 19,310	19,520 / 19,220
	MAX GCWR	28,000	28,000	28,000	28,000	28,000	28,000
	MAX GVWR	16,500	16,500	16,500	16,500	16,500	16,500
6.7L Cummins High Output	MAX PAYLOAD	8,800 / 8,400	8,570 / 8,190	8,480 / 8,070	8,400 / 8,010	8,150 / 7,800	8,010 / 7,710
Turbo Diesel with AISIN	MAX GAWR FRONT	7,250	7,250	7,250	7,250	7,250	7,250
Heavy-Duty 6-speed	MAX GAWR REAR	12,000	12,000	12,000	12,000	12,000	12,000
Automatic Transmission	MAX TOWING	25,650 / 25,250	25,420 / 25,040	25,330 / 24,920	25,250 / 24,860	25,000 / 24,650	24,860 / 24,560
	MAX GCWR	33,500	33,500	33,500	33,500	33,500	33,500

RAM 5500 CHASSIS CAB MAX JOB RATING INFORMATION*

Power	train	Regular Cab 60" CA (4x2 / 4x4)	Regular Cab 84" CA (4x2 / 4x4)	Regular Cab 108" CA (4x2 / 4x4)	Regular Cab 120" CA (4x2 / 4x4)	Crew Cab 60" CA (4x2 / 4x4)	Crew Cab 84" CA (4x2 / 4x4)
	MAX GVWR	19,000	19,500	19,500	19,500	19,000	19,500
0.41.115141.140	MAX PAYLOAD	12,110 / 11,740	12,480 / 12,100	12,310 / 11,960	12,260 / 11,880	11,600 / 11,220	11,910 / 11,550
6.4L HEMI V8 with	MAX GAWR FRONT	6,500	6,500	7,000	7,000	7,000	7,000
AISIN Heavy-Duty 6-speed Automatic Transmission	MAX GAWR REAR	13,500	13,500	13,500	13,500	13,500	13,500
Automatic manamiasion	MAX TOWING	18,960 / 18,590	18,830 / 18,450	18,660 / 18,310	18,610 / 18,230	18,450 / 18,070	18,260 / 17,900
	MAX GCWR	26,000	26,000	26,000	26,000	26,000	26,000
	MAX GVWR	19,000	19,500	19,500	19,500	19,000	19,500
6.7L Cummins	MAX PAYLOAD	11,390 / 10,990	11,790 / 11,360	11,700 / 11,220	11,610 / 11,140	10,830 / 10,480	11,140 / 10,810
Turbo Diesel with	MAX GAWR FRONT	7,250	7,250	7,250	7,250	7,250	7,250
G56 6-speed	MAX GAWR REAR	13,500	13,500	13,500	13,500	13,500	13,500
Manual Transmission	MAX TOWING	20,240 / 19,840	20,140 / 19,710	20,050 / 19,570	19,960 / 19,490	19,680 / 19,330	19,490 / 19,160
	MAX GCWR	28,000	28,000	28,000	28,000	28,000	28,000
	MAX GVWR	19,000	19,500	19,500	19,500	19,000	19,500
6.7L Cummins High Output	MAX PAYLOAD	11,250 / 10,830	11,630 / 11,200	11,540 / 11,060	11,450 / 10,980	10,670 / 10,320	10,980 / 10,910
Turbo Diesel with AISIN	MAX GAWR FRONT	7,250	7,250	7,250	7,250	7,250	7,250
Heavy-Duty 6-speed	MAX GAWR REAR	13,500	13,500	13,500	13,500	13,500	13,500
Automatic Transmission	MAX TOWING	30,600 / 30,180	30,480 / 30,050	30,390 / 29,910	30,300 / 29,830	30,020 / 29,670	29,830 / 29,760
	MAX GCWR	38,500	38,500	38,500	38,500	38,500	38,500

Weights given in Ib. *Maximum tow job rating numbers are for a properly equipped vehicle with a 150-lb allowance for the driver. Additional upfits, options, equipment, passengers and cargo weights must be subtracted from tow/payload weight. Please see your dealer for additional information. CA = Cab-to-Axle length. SRW = Single Rear Wheel. DRW = Dual Rear Wheel.

	Tradesman®	SLT	Laramie®
STANDARD FEATURES AND OPTIONS	Reg/Crew	Reg/Crew	Crew
CPOS TO A MONICO CONTROL OF THE CONT	A	G	Н
ENGINES/TRANSMISSIONS	004	200	2011
6.4L HEMI® V8 (ESB) 66RFE 6-speed Automatic (DFP) (standard on 3500 models only)	22A	22G	22H
6.4L HEMI V8 (ESB) AISIN® 66RC 6-speed Automatic (DF3) (standard on 4500/5500; optional for 3500)	27A	27G	27H
6.7L Cummins® Turbo Diesel I-6 (ETK) G56 6-speed Manual (DEG) (available for all models)	2EA	2EG	2EH
6.7L Cummins High Output Turbo Diesel I-6 (ETK) AISIN 69RC 6-speed Automatic (DF2) (available for all models)	29A	29G	29H
Engine Shut-off Timer — Dealer programmable from one — sixty minutes (XCL)	0	0	0
Max Speed Settings — 65-mph, 70-mph, 77-mph (JJ4, JJ5, JJ9)	0	0	0
Power Take-Off — Available with AISIN Automatic or Manual transmission (includes split-shaft capability with 6.7L) (LBN)	0	0	0
— Alternate left side requires AISIN transmission (includes split-shaft capability with 6.7L) (LBV)	0	0	0
MECHANICAL FEATURES			
Alternator — 180-amp (included with 6.4L HEMI V8 and Cummins Turbo Diesel engines) (BAD)	•	•	•
— 220-amp (included with Heavy-Duty Snowplow Prep Group and Ambulance Prep Group) (BAJ)	0/P	0/P	0/P
— 380-amp (optional with 6.4L HEMI V8; dual 160-amp and 220-amp alternators) (XF5)	0	0	0
— 440-amp (optional with 6.7L Cummins Turbo Diesel; dual 220-amp alternators; packaged with Emergency/Fire/Rescue Special Emissions Package) (XF7)	0/P	0/P	0/P
B20 Biodiesel Compatibility (XXJ)	0	0	0
Battery — 730-amp (one per vehicle with gas engine; two per vehicle with diesel engine) (BCN)	•	•	•
Diesel Exhaust Brake ("Smart" Exhaust Brake) — Packaged with 6.7L Cummins engine (NEN)	Р	Р	Р
Engine Block Heater — Optional with gas engine; included with Cold Weather Group (ADE) with diesel engine (NHK)	0/P	0/P	0/P
Engine Cooling — Heavy-duty (NMC)	•	•	•
Extra Base Keys (two) (not available with Power and Remote Entry Group or Remote Keyless Entry) (GXJ)	0		
Fuel Tanks — Dual, 52- and 22-gallon, totaling 74 gallons (not available on 3500 SRW and 60-inch CA with 6.4L HEMI) (NLL)	0	0	0
— Single 22-gallon, mid-ship-mounted (standard on DF 3500 SRW 10K GVWR models) (NFA)	•/0	•/0	•/0
— Single 52-gallon, rear-mounted (not available on DF 3500 SRW 10K GVWR models) (NFH)	•	•	•
Shock Absorbers — Front, heavy-duty (SFB)	•	•	•
— Rear, heavy-duty (SGB)	•	•	•
Skid Plate — Transfer case (4x4 only; included with Heavy-Duty Snowplow Prep Group) (XEF)	0/P	0/P	0/P
Stabilizer Bar — Front (SHA)	•	•	•
Steering — Power, recirculating ball (SBE)	•	•	•
Tow Hooks — Available with gas engine on 3500; included with diesel engine on 3500 models; standard on 4500/5500 models (XEA)	0/P/●	0/P/●	0/P/•
Transfer Cases — Manual shift, part-time (4x4 only) (DK1)	•	•	
— Electric shift, part-time (4x4 only) (DK3)	0	0	•

	Tradesman®	SLT	Laramie®
MECHANICAL FEATURES (continued)	Reg/Crew	Reg/Crew	Crew
CPOS	A	G	Н
Upfitter Electronic Interface Module (VSIM) — Over 50 inputs and outputs (packaged with Ambulance Prep Group) (XXS)	0/P	0/P	0/P
Voltage Monitoring Auto Idle-Up System (included with Rollback Carrier Group and Ambulance Prep Group) (XF6)	0/P	0/P	0/P
Axles, 3500			
Front — 6,000-lb GAWR (standard on SRW models) (DJN)	Р	Р	Р
— Axle disconnect with 4x4	•	•	•
Rear — Antispin differential (DSA)	•	•	•
— 3.42 ratio (diesel models only) (DMR)	0	0	0
— 3.73 ratio (diesel models only) (DME)	•	•	•
— 4.10 ratio (standard with gas; not available with DF3 transmission) (DMF)	•	•	•
— 4.10 ratio ADD (included with Max Tow Package; optional with Cummins® Diesel) (DM8)	P/0	P/0	P/0
— 4.44 ratio (included with 6.4L HEMI® gas engine and AISIN® transmission) (DMK)	Р	Р	Р
— 11.5-inch (SRW models only) (DRQ)	•	•	•
— 11.5-inch (DRW models only) (DRX)	•	•	•
Axles, 4500 and 5500			
Front — 10.8-inch (DJP)	•	•	•
Rear — Antispin differential (DSA)	•	•	•
— 4.10 ratio (4500 models: packaged with Cummins Turbo Diesel engine with AISIN transmission; 5500 models: packaged with Cummins Turbo Diesel with Manual transmission) (DMF)	Р	Р	Р
— 4.44 ratio (standard on 4500/5500 models; optional with 6.7L engine and Manual transmission) (DMK)	•/0	•/0	•/0
— 4.88 ratio (optional on 4500, requires 6.4L engine; included with the Max Tow and Payload Upgrade Packages on 5500) (DMS)	0/P	0/P	0/P
— Dana® S111 (12,000-lb GAWR on 4500; 13,500-lb GAWR on 5500) (DRT)	•	•	•
EXTERIOR FEATURES			
Badging — SLT (MTD)		•	
— Laramie (MTE)			•
Bumper — Front, Black (MB1)	•		
— Front, Chrome (included with Chrome Appearance Group) (MCT)	Р	•	•
Chrome Bodyside Moldings — An Authentic Accessory from Mopar® (MJB)	0	0	0
Side Steps — Tubular, in Chrome, an Authentic Accessory from Mopar (MRT)	0	0	0
— Black (Regular Cab only) (MRU)	0	0	
Fascia — Front, headlamp filler, Black (standard on 4500 and 5500 models; included with low-volume paint) (MCJ)	•	•	•
— Front, headlamp filler in body-color (3500 only) (MCM)	•	•	•
Fog Lamps (available with Chrome Appearance Group on Tradesman and as a single option for SLT models) (LNJ)	Р	0	•

	Tradesman®	SLT	Laramie®
EXTERIOR FEATURES (continued)	Reg/Crew	Reg/Crew	Crew
CPOS	A	G	Н
Grilles — Black insert and surround (MFF)	•		
— Chrome surround, Black insert (included with Chrome Appearance Group) (MFD)	Р	•	
— Chrome surround, Chrome insert (MF1)			•
Headlamps — Automatic (LMG)	•	•	•
— Halogen — Quad-lens (LME)	•	•	
— Halogen — Bifunctional projector (LMC)			•
Key-alike Feature — Allows a single key to start multiple trucks (Automatic transmissions only; not available with remote start) (GRA)	0	0	
Lamps — Cab-clearance (LNC)	•	•	•
Mirrors — Folding trailer-tow, manual, Black (Regular Cab only) (GPD)	•		
 Power trailer-tow, heated, manual folding, Black; includes exterior courtesy lamps and supplemental turn signals (standard on Crew Cab models; included with Power Accessory and Power and Remote Entry Groups) (GPG) 	P/•	•	
— Power multifunction trailer-tow, heated, manual folding, Chrome; includes position memory, exterior courtesy lamps and supplemental turn signals (Crew Cabs only) (GPC)			•
Monotone Paint (APA)	•	•	•
Taillamps — LED (not available with single rear wheel models) (LAY)	0	0	0
Tires, 3500			
— LT235/80R17E BSW AII-Season (DRW models only) (TV2)	•	•	•
— LT235/80R17E OWL On-/Off-Road (4x4 DRW models only) (TV3)	0	0	0
— LT275/70R18E BSW On-/Off-Road (standard on 3500 DF 10K GVWR models; packaged with other SRW models) (TCM)	•/P	•/P	•/P
— Spare, full-size (TBB)	0	0	0
Tires, 4500/5500			
— 225/70R19.5G BSW All-Position (4x2 models only) (TUV)	•	•	•
— 225/70R19.5G BSW All-Position front, rear traction (standard on 4x4 models; available for 4x2 models) (TUY)	•/0	•/0	•/0
— 225/70R19.5G BSW All-Traction (4x4 models only) (TUZ)	0	0	0
— Spare, full-size (TBB)	0	0	0
Wheels, 3500			
— 17- x 6-inch Argent steel (DRW models only) (WFU)	•		
— 17- x 6-inch bright wheel covers and center cap (DRW models only; included with Chrome Appearance Group on Tradesman models) (WD4)	Р	•	
— 17- x 6-inch aluminum (DRW models only) (WF7)		0	•
— 18-inch steel (SRW models only) (WBN)	•		
— 18-inch Chrome-clad steel (SRW models only; optional on Tradesman; included with Chrome Appearance Group) (WBH)	0/P	•	
— 18-inch polished aluminum (SRW models only) (WBL)	0	0	•

	Tradesman®	SLT	Laramie®
EXTERIOR FEATURES (continued)	Reg/Crew	Reg/Crew	Crew
CPOS Wheels 4500/5500	A	G	Н
Wheels, 4500/5500			
— 19.5- x 6-inch steel (WP3)	•	•	
— 19.5- x 6-inch polished aluminum (WP4)	0	0	•
Wheel Well Flares — Black (4500/5500 models only) (MMZ)	•	•	•
— Body-color (3500 models only; not available with low-volume paint) (MML)	0	0	0
Windshield Wipers — Variable/intermittent (JHA)	•	•	•
— Rain-sensitive (packaged with Convenience Group) (JHC)			Р
INTERIOR FEATURES			
Air Conditioning (HAA)	•	•	•
— Dual-Zone automatic temperature control (included with Heated Seats and Wheel Group; Crew Cab only) (HAF)		Р	•
Assist Handles — Driver- and passenger-side (A-pillar-mounted) (CSP)	•	•	•
Auxiliary Switches — Five (LHL)	•	•	•
Bezel — Center-stack, Black (JBF)	•		
— Center-stack, color-keyed (JBY)		•	
— Center-stack, woodgrain insert (JBB)			•
Cluster — Instrument, with 3.5-inch display, tachometer (120-mph speedometer on 3500; 87-mph on 4500/5500 with Electronic Vehicle Information Center display) (JAT)	•	•	
— Instrument, with 7-inch Driver Information Display (included with Luxury Group) (JA6)		Р	•
Consoles — Full-size floor center (included with front bucket seats) (CUP)		Р	Р
— Overhead with Universal Garage Door Opener (included with Luxury Group) (CV2)		Р	•
— Overhead with map lights (included with RA2 radio) (CUN)	Р	•	
Door Locks — Manual (Regular Cab only) (JE8)	•		
— Power (included with Power Accessory and Power and Remote Entry Groups; standard on Tradesman Crew Cab model) (JPB)	P/●	•	•
Floor Covering — Heavy-duty vinyl (CKJ)	•	0	0
— Carpet (CKE)	0	•	•
Floor Mats — Front, carpeted (Regular Cab; included with carpet on Tradesman models) (CLA)	Р	•	
— Front and rear, carpeted (Crew Cab; included with carpet on Tradesman models) (CLE)	Р	•	•
— Front, rubber (Regular Cab; requires carpet) (CLY)	0	0	
— Front and rear, rubber (Crew Cab; requires carpet) (CLF)	0	0	0
— Passenger-side visor with mirror (GNM)	•	•	
Mirrors — Day/night manual (GNA)	•	•	
— Auto-dimming rearview day/night, with camera display (packaged with ParkView® Rear Back-Up Camera ⁽⁵⁾ with UA1 radio) (GN4)	Р	Р	Р

	Tradesman®	SLT	Laramie®
INTERIOR FEATURES (continued)	Reg/Crew	Reg/Crew	Crew
CPOS CPOS	А	G	Н
— Auto-dimming rearview day/night, with Uconnect® Phone ⁽¹⁴⁾ (included with Convenience Group) (GNK)			Р
— Passenger-side visor with mirror (GNM)	•	•	
— Illuminated visors for driver and passenger (included with Luxury Group) (GNC)		Р	•
Pedals — Power adjustable (3500, 4500 and 5500; requires Automatic transmission) (XAP)		0	
— Power adjustable with memory (3500, 4500 and 5500; requires Automatic transmission) (XAM)			0
Power Outlets — 115-volt auxiliary (included with *M9, *MJ, *GJ, *VL seats) (JKV)		Р	•
— Two 12-volt auxiliary (JJJ)	•	•	•
Seating — Seat Belts, Front, shoulder height-adjustable (CGD)	•	•	•
— Heated, driver and front-passenger; includes heated steering wheel (included with Heated Seats and Wheel Group) (CMA)		Р	•
— 10-way power driver's seat (included with *M9, *MJ seats) (JRT)		Р	
— 10-way power driver's seat with memory and six-way power passenger (JRF)			•
— Front center-seat delete (packaged with Rear Interior Trim Delete Group) (CJT)	0	0	
— Delete Rear Seat (Crew Cab models only) (CF8)	0	0	
— Heated, 2nd-row (included with *GJ bucket seats) (JPZ)			Р
Seats — Vinyl 40/20/40 split-bench front seat with folding center armrest/business console (Crew Cab models include folding rear bench seat trimmed in vinyl) (*TX)	•		
— Work-grade vinyl 40/20/40 split bench (*SX)	0	0	
— Cloth-trimmed 40/20/40 split-bench front seat with folding center armrest/business console (Crew Cab models include folding rear bench seat trimmed in cloth) (*V9)	0	•	
— Premium cloth-trimmed 40/20/40 split-bench front seat, power 10-way driver seat, power lumbar adjuster, folding center armrest/business console with center-seat-cushion storage and 115-volt auxiliary power outlet (Crew Cab models include 60/40 split-folding rear bench seat trimmed in cloth) (*M9)		0	
— Premium cloth-trimmed low-back bucket seats, power 10-way driver seat, power lumbar adjuster, fixed center console and 115-volt auxiliary power outlet (Crew Cab models include 60/40 split-folding rear bench seat trimmed in cloth) (*MJ)		0	
— Leather-trimmed ventilated and heated 40/20/40 split-bench front seats with power 10-way/memory for driver and power six-way passenger seat, power lumbar adjuster, front center-seat-cushion storage and folding center armrest/business console, and 115-volt auxiliary power outlet (Crew Cab models include 60/40 split-folding rear bench seat trimmed in vinyl) (*VL)			•
— Leather-trimmed low-back, ventilated and heated bucket seats; includes power 10-way driver and power six-way passenger seats, power lumbar adjuster, fixed center console, 115-volt auxiliary power outlet and heated 2nd-row seats on Crew Cab models (Crew Cab models include 60/40 split-folding rear bench seat trimmed in vinyl) (*GJ)			0
Speed Control (NHM)	•	•	•
Steering Wheels — Four-spoke, urethane (SCF)	•	•	
— Heated (included with heated seats and Heated Seats and Wheel Group) (NHS)		Р	•

INTERIOR FEATURES (southwest)	Tradesman®	SLT Port/Order	Laramie®
INTERIOR FEATURES (continued) CPOS	Reg/Crew A	Reg/Crew G	Crew H
— Leather-wrapped with remote audio control buttons (included with Luxury Group and Heated Seats and Wheel Group) (SCV)	^	<u> </u>	•
— Tilt column (SUA)	•	•	•
Storage — Front, behind-the-seat (Regular Cab only) (CU3)	•	•	
— Front-seat center-cushion (included with *M9 and *VL seats) (CVH)		Р	•
Tip Start — Included with Automatic transmissions (XBN)	P	Р	Р
Turn Signals — One-touch three-blink lane-change feature	•	•	•
Windows — Manual (Regular Cab only) (JF8)	•		
— Power, front and rear with driver's one-touch up/down (Crew Cab models only) (JP3)	•	•	•
— Power, front with driver's one-touch down (Regular Cab only; included with Power Accessory Group and Power and Remote Entry Group) (JPY)	Р	•	
— Rear backlight, fixed (GJD)	•	•	
— Rear backlight, power sliding (Crew Cab models only; included with Luxury Group) (GFE)		Р	•
— Rear backlight, sliding (GFD)	0	0	
— Rear defrost (available with fixed rear or power sliding rear window; requires Power Accessory Group on Tradesman models) (GFA)	0	0	0
UCONNECT®/MULTIMEDIA			
Integrated Voice Command ⁽¹⁴⁾ with Bluetooth® — Hands-free calling with Address Sync, ⁽³²⁾ Bluetooth (included with UA1, RA2, UAS or UAQ radios) (XRB)	Р	Р	Р
Radio Controls — Steering wheel-mounted audio controls (included with leather-wrapped steering wheel, Luxury Group, and Heated Seats and Wheel Group) (RDZ)		Р	•
Single-disc Remote CD Player (RH1)	0	0	0
SiriusXM® Satellite Radio ⁽⁶⁾ (RSD)	0	•	•
— 2.5-amp charging USB port (included with Uconnect 5-inch radio or higher, *M9, *V9 and *MJ seats) (RS3)	Р	Р	•
— Media Hub (included with Uconnect 3.0 and 5-inch radios) (RS6)	•	•	
— 1.5-amp fully functional USB port (RSX)	•	•	•
— Auxiliary input jack for mobile devices (RSU)	•	•	•
— Media Hub (includes Apple CarPlay™ and Google Android Auto™ included with Uconnect 4C and 4C NAV radios) (RSF)		Р	•
SiriusXM Guardian ⁽⁶⁾ — Included with 8.4-inch radios (RSK)		Р	Р
SiriusXM TrafficPlus ⁽⁶⁾ and SiriusXM TravelLink ⁽⁶⁾ — Included with 4C NAV Radio (RTB/RSM)		Р	Р
Speaker Systems — Premium I (available with Uconnect 3C NAV with 8.4-inch Display radios; not available with Upfitter Electronic Interface Module) (RCK)		0	0
— Six, standard on Crew Cab (RCG)		•	•
— Two, standard on Regular Cab (RCB)	•		
Radio 3.0 — AM/FM with Media Hub (USB, auxiliary jack) (RA1)	•	•	
Uconnect 3.0 Radio — AM/FM/Integrated Voice Command ⁽¹⁴⁾ with Bluetooth with Media Hub (USB, auxiliary jack) (UA1)	0	0	

UCONNECT®/MULTIMEDIA (continued)	Tradesman® Reg/Crew	SLT Reg/Crew	Laramie® Crew
CPOS	A	G	Н
Uconnect 3 with 5-inch Display Radio — AM/FM/5-inch touchscreen display, Media Hub (USB, auxiliary jack), Integrated Voice Command ⁽¹⁴⁾ with Bluetooth and SiriusXM Satellite Radio ⁽⁶⁾ (RA2)	0	0	
Uconnect 4C with 8.4-inch Display Radio — AM/FM, Media Hub (USB, auxiliary jack), Integrated Voice Command ⁽¹⁴⁾ with Bluetooth,® SiriusXM® Satellite Radio ⁽⁶⁾ and Rcall/Ecall (required for Heated Seats and Wheel Group) (UAS)		0	•
Uconnect 4C NAV with 8.4-inch Display Radio — AM/FM, Media Hub (USB, auxiliary jack), GPS Navigation, Integrated Voice Command ⁽¹⁴⁾ with Bluetooth, SiriusXM Satellite Radio, ⁽⁶⁾ Rcall/Ecall and HD Radio (required for Heated Seats and Wheel Group) (UAQ)		0	0
SAFETY & SECURITY			
Air Bags ⁽²⁾ — Multistage front (CG3)	•	•	•
— Driver's only (CGT)	0	0	
Brakes — Power-assisted four-wheel antilock disc (BRT)	•	•	•
DOT-Certified Roadside Safety Kit — Includes DOT fire extinguisher, three reflecting triangles, two Red vinyl flags and spare fuses (ACL)	0	0	0
Electronic Stability Control ⁽³⁾ System (BNB)	•	•	•
ParkSense® Front and Rear Park Assist System ⁽⁵⁾ (requires Chrome Appearance Group and fog lamps on Tradesman or fog lamps on SLT) (XAG)	0	0	0
ParkSense Rear Park Assist System ⁽⁵⁾ (XAA)	0	0	0
ParkView® Rear Back-Up Camera ⁽⁵⁾ — Shipped loose in cab, installed by the upfitter in the ideal location (image is displayed in the rearview mirror with RA1 or UA1; all other radios will include the camera display on-screen) (XAC)	•	•	•
Red Seat Belts — Regular Cab models only (not available on 10K GVWR 3500 SRW models) (CGQ)	0	0	
Remote Keyless Entry — Controls for power door locks, illuminated entry system and panic alarm; includes two transmitters (included with Power and Remote Entry Group) (GXM)	P/0	•	•
Remote Start System — Requires Automatic transmission; included with available Automatic transmission on Laramie (XBM)		0	Р
Security Alarm (LSA)		0	•
Sentry Key® Theft Deterrent System — Engine immobilizer (GXX)	•	•	•
Tire Pressure Monitoring (packaged with 10K GVWR 3500 SRW models) (XGM)	Р	Р	Р
— Selective Tire Pressure Display (available on 3500 models over 10K GVWR only) (XBT)	0	0	0
Trailer Brake Controller ⁽³⁾ — Fully integrated electronic (XHC)	0	0	0
PACKAGES/EQUIPMENT GROUPS			
Ambulance Prep Group — Includes 220-amp alternator, voltage monitoring auto idle-up system and upfitter electronic interface module (VSIM) (AH2)	0	0	0
Chrome Appearance Group — Includes Chrome front bumper and grille surround and Chrome wheel covers on 3500 models; Chrome grille and Chrome front bumper on 4500/5500 models (AMP)	0		
Cold Weather Group — Includes engine block heater and winter front grille cover (requires diesel engine) (ADE)	0	0	0
Convenience Group — Includes auto-dimming rearview mirror, rain-sensing wipers, Auto High-Beam Headlamp Control, remote proximity keyless entry and Keyless Enter 'n Go^{TM} (not available with Manual transmission) (ADC)			0
Emergency/Fire/Rescue Special Emissions Package — Includes dual alternators rated at 440 amps and special emissions emergency vehicle (requires 6.7L Cummins® Turbo Diesel; requires Ambulance Prep Group) (AH6)	F	F	F

PACKAGES/EQUIPMENT GROUPS (continued)	Tradesman® Reg/Crew	SLT Reg/Crew	Laramie® Crew
CPOS	А	G	Н
Heated Seats and Wheel Group — Includes heated cloth front seats and heated leather-wrapped steering wheel (optional with *M9 and *MJ seats; requires Uconnect 3C with 8.4-inch Display or 3C NAV with 8.4-inch Display radios) (AGF)		0	
Heavy-Duty Front Suspension Group (included with Heavy-Duty Snowplow Prep Group; 4500/5500 models only) (AZB)	0/P	0/P	0/P
Heavy-Duty Snowplow Prep Group — Includes 220-amp alternator, transfer case skid plate (3500 models require 4x4), and heavy-duty front suspension (4500, 5500 models only) (AHD)	0	0	0
Luxury Group — Includes sun visors with illuminated vanity mirrors, glove box lamp, underhood lamp, rear dome lamp with on/off switch, 7-inch Driver Information Display, leather-wrapped steering wheel with audio controls, overhead console, rear power sliding window (Crew Cab models) and Universal Garage Door Opener (requires Uconnect 3 with 5-inch Display, 3C with 8.4-inch Display or 3C NAV with 8.4-inch Display) (ADA)		0	
Max Tow Package — Includes underbody thermal protection; 4.88 axle ratio and transmission software calibration on 4500/5500 models; includes dual transmission oil cooler, underbody thermal protection, 4.10 axle ratio, transmission software calibration and aluminum rear differential cover on 3500 models (requires diesel engine with Automatic transmission and trailer brake controller; not available on 3500 SRW models) (AHQ)	0	0	0
Payload Upgrade Package — Includes 19K GVWR with 60-inch CA, 19.5K GVWR with 84-, 108- and 120-inch CA, 4.88 rear axle ratio (5500 with 6.4L only) (AH5)	0	0	0
Power Accessory Group — Includes power windows, premium vinyl door trim, power door locks and power adjustable exterior trailer-tow mirrors with turn signal indicators (Regular Cab only) (AJW)	0		
Power and Remote Entry Group — Includes power windows, premium vinyl door trim, power door locks, power adjustable exterior trailer-tow mirrors with turn signal indicators and remote keyless entry (Regular Cab models only) (AJH)	0		
Power Take-Off Prep Group — Includes hard wire remote start if equipped with AISIN® transmission and includes split-shaft capability if equipped with diesel engine (LBN)	0	0	0
Power Take-Off Prep Group (Left side) — Includes hard wire remote start if equipped with AISIN transmission and includes split-shaft capability if equipped with diesel engine (LBV)	0	0	0
Rear Interior Trim Delete Group — Includes front center seat delete, rear floor storage tray delete and cab back trim panel delete (Regular Cab models only) (AS8)	0	0	
Rollback Carrier Group — Includes voltage monitoring auto idle-up system (5500 120-C-A Regular Cab models only; requires 22-gallon mid-ship fuel tank, Power Take-Off Prep Group and 220-amp alternator) (AH1)	0	0	
Single Rear Wheel Group (standard on DF 3500 10K GVWR models; available on 3500 over 10K GVWR models; not available on 4500/5500 models) (AR9)	•/0	•/0	•/0

^{• =} Standard. P = Available within Package noted. O = Optional. F= Fleet Only