

2019 RAM PROMASTER®

UP TO
4,440⁽¹³⁾
PAYLOAD (LB)

5,100⁽¹³⁾
TOWING (LB)

462.8
MAX CARGO VOLUME (CU FT)



Properly secure all cargo.



Properly secure all cargo.

SELECT STANDARD FEATURES

- New Black Exterior Bumpers
- 12-volt Auxiliary Power Outlet — Front
- Air Conditioning — Manual
- Auxiliary Power Connector
- Battery — 95-amp
- Fuel Tank — 24-gallon
- Full-size Spare Tire
- Halogen Headlamps
- Power Steering
- Rear-speaker Wiring Prep
- Roof Clearance Lamps — Front
- Seats — Four-way manually adjustable driver's seat and front-passenger bucket
- Speed Limiter — Dealer-activated
- Steering Column — Telescoping
- Wheels — 16-inch Silver painted steel with center cap
- Windows — Front, power with one-touch down feature

SAFETY & SECURITY

- Air Bags⁽²⁾ — Advanced driver and front-passenger
 - Supplemental front-seat side
 - Supplemental side-curtain front
- Electronic Stability Control⁽³⁾ — Includes All-Speed Traction Control, Brake-Lock Differential, Electronic Roll Mitigation, Hill Start Assist⁽³⁸⁾ and Trailer Sway Damping⁽³⁾
- ParkSense® Rear Park Assist⁽⁵⁾ — Available
- ParkView® Rear Back-Up Camera⁽⁶⁾ — Standard on Cargo Van and Windowed Van
- Remote Start — Available
- Tire Pressure Monitoring System

FLEET FEATURES

- Ambulance Prep Package A — Available
- Badging Delete — Available
- Spare Tire Delete — Available

ENGINE	HORSEPOWER ⁽¹⁷⁾	TORQUE ⁽¹⁷⁾
3.6L Pentastar® V6	280 hp @ 6,400 rpm	260 lb-ft @ 4,175 rpm

2019 RAM PROMASTER[®]



Properly secure all cargo.

EXTERIOR DIMENSIONS⁽¹⁾

Cargo Van	
Wheelbases	118 / 136 / 159
Overall Lengths	195.4 / 213.1 / 236.1 / 250.5
Overall Width (without mirrors / mirrors extended)	80.7 / 105.9
Heights	88.7 / 99.4
Turning Diameter (ft)	36.3 / 40.7 / 46.8
Chassis Cab and Cutaway	
Wheelbases	136 / 159
Overall Lengths	207.0 / 230.0 / 244.4
Overall Width (without mirrors / mirrors extended)	80.7 / 105.9
Heights	84.8
Turning Diameter (ft)	40.7 / 46.8
Cab-to-Rear Axle	81.1 / 104.1
Windowed Van ⁽²⁾	
Wheelbases	159 / 159 ext.
Overall Lengths	236.1 / 250.5
Overall Width (without mirrors / mirrors extended)	80.7 / 105.9
Heights	99.4

INTERIOR DIMENSIONS⁽¹⁾

Cargo Van	
Load Floor Length	105.1 / 122.8 / 145.9 / 160.2
Cargo Volume (cu ft)	259.2 / 303.7 / 352.9 / 420.2 / 462.8
Cargo Height	65.4 / 76.0
Cargo Width — Between wheel wells	55.8
Seating Capacity	2 / 3
Fuel Tank Capacity (gal)	24

⁽¹⁾All dimensions in inches unless otherwise noted. All dimension specifications are based on 2018MY vehicles.

⁽²⁾Based on preliminary information.

TOWING

Maximum Towing (lb; when properly equipped)	5,100
Payload (lb) depending on model (Cargo Van)	3,770 – 4,440
Payload (lb) depending on model (Chassis Cab and Cutaway)	5,110 – 5,240
GVWR (lb) depending on model	8,550 – 9,350
GCWR (lb)	11,500

EXTERIOR PAINT COLORS

Bright White	Deep Cherry Red Crystal Pearl
Flame Red	Black
Servpro Green (Fleet only) (Representative color sample)	Dark Brown (Fleet only; Low Volume)
Broom Yellow	Bright Silver Metallic
Green Angel (Fleet only)	Patriot Blue Pearl Coat
Walnut Brown Metallic	Granite Crystal Metallic
School Bus Yellow (Low Volume)	

STANDARD FEATURES AND OPTIONS	Cargo Van	Windowed Van	Chassis Cab	Cutaway
CPOS	2TA	2TA	2TA	2TA
ENGINE AND TRANSMISSION				
3.6L Pentastar® V6 engine with six-speed Automatic transmission (ERB)	21A	21A	21A	21A
MECHANICAL FEATURES				
Additional Key Fobs — Two (GXK)	0	0	0	0
Alternator — 180-amp (BAD)	•	•		
— 220-amp (included with Ambulance Prep Package A) (BAJ)	0/P	0	•	•
Auxiliary Fuel Tap (XFZ)	•	•	•	•
Battery — 95-amp (BCY)	•	•	•	•
— Auxiliary Power Connector (BC1)	•	•	•	•
Cruise Control (included with Ambulance Prep Package A) (NHM)	0/P	0	0	0
Electronic Stability Control ⁽³⁾ (BNB)	•	•	•	•
Electronic Vehicle Tracking (by Mopar®) (AES)	0	0	0	0
Engine Block Heater (NHK)	0	0	0	0
Fuel Tank — 24-gallon (NFE)	•	•	•	•
Full-size Spare Tire (TBB)	•	•	•	•
Power Steering (SBA)	•	•	•	•
Speed Limiter — Dealer-activated, 60-mph, 65-mph, 70-mph and 77-mph (NHR)	•	•	•	•
Suspensions — Heavy-duty (2500/3500) (SDB)	•	0		
— Light-duty (118-inch wheelbase 1500 models only) (SDA)	•			
— Medium-duty (136-inch wheelbase 1500 models only) (SDJ)	•			
— Premium heavy-duty (3500 models only) (SDD)	0	0	•	•
— Touring (SDC)		•		
Temporary Spare Tire Mount (TBA)			0	0
Upfitter Electronic Module — Vehicle System Interface Module (VSIM) (late availability) (XXS)	0	0	0	0
EXTERIOR FEATURES				
R-A-M grille in Silver (ME6/MFD)	•	•	•	•
Rear Wall Window (GEV)			•	
Chrome Grille (included with Premium Appearance Group) (MFE)	P	P	P	P
Daytime Running Lights (LMK)	0	0	0	0
Doors, Rear — 260-degree-opening (GLF)	•	•		
— Rear hinged doors with fixed glass (included with Ambulance Prep Package A) (GLB)	0/P	•		
Doors, Side — Left side with fixed-glass window and grate (136-inch wheelbase models with Standard Roof only) (GKD)	0			
— Left side with no glass (not available on 118-inch wheelbase models) (GKE)	0			

EXTERIOR FEATURES (continued)

	Cargo Van	Windowed Van	Chassis Cab	Cutaway
CPOS	2TA	2TA	2TA	2TA
— Left side with fixed window (not available on 118-inch wheelbase models) (GKT)	0			
— Right side with fixed glass (Standard Roof models only on Cargo Van; Cargo Van includes window grate) (GKB)	0			
— Right side with no glass (GKA)	•			
— Right side with fixed window (included with Ambulance Prep Package A) (GKS)	0/P	•		
Taillamp Extension Wiring (XGF)			•	•
Front Fog Lamps (included with Premium Appearance Group) (LNJ)	P	P	P	P
Front License Plate Bracket (MDA)	0	0	0	0
Halogen Headlamps (LMA)	•	•	•	•
Mirrors — Wide exterior 96-inch (includes power heated mirrors on Cargo Vans and Windowed Vans) (XZP)	P	P	•	•
— Manual adjustable/manual folding (GTP)	•	•	•	•
— Power adjustable/power folding, heated (GTR)	0	0		
— Wide power adjustable, heated (GTB)	0	0	0	0
Roof Clearance Lamps — Deletes the front clearance lamps (LT8)			0	0
— Front (LNC)	•	•	•	•
— Rear (LNG)	•	•		
Side Badging Delete (MSY)	F	F	F	F
Splash Guards — Vehicle set (by Mopar®) (MKN)	0	0		
Step — Rear bumper extension (not available with Trailer Tow Group; see your dealer for availability; by Mopar) (MDM)	0	0		
— Sliding door step, left side (requires left side door; by Mopar) (MR3)	0	0		
— Sliding door step, right side (see your dealer for availability; by Mopar) (MRZ)	0	0		
Wheels — 16-inch aluminum (WDN)	0	0	0	0
— 16-inch Silver painted steel with center cap (WCS)	•	•	•	•
— 16-inch Silver painted steel with full wheel cover (W6A)	0	0	0	0
— 16-inch Black painted steel (late availability) (WDL)	0	0	0	0
— 16-inch White painted steel (WDW)	F	F	F	F
— Center Cap Delete (WH8)	0	0	0	0
— Space Tire Delete (TBF)	F	F	F	F
Window — Left side 2nd row fixed (optional on High Roof Cargo Van only) (GEA)	0	•		
Window Defroster — Rear (requires rear doors with glass on Cargo Van models) (GFA)	0	•		
INTERIOR FEATURES				
12-volt Auxiliary Power Outlet — Front (JJJ)	•	•	•	•
— Rear (included with Ambulance Prep Package A) (JKP)	0/P	0		
Air Conditioning — Delete air conditioning; heater only (HCD)	0	0	0	0

INTERIOR FEATURES (continued)

	Cargo Van	Windowed Van	Chassis Cab	Cutaway
CPOS	2TA	2TA	2TA	2TA
— Manually controlled, with heat (HAA)	•	•	•	•
— Rear Heater Air Conditioning Prep Package (not available with air conditioning delete; included with Ambulance Prep Package A) (HDG)	O/P	0	0	0
Assist Handle — Rear Doors (by Mopar®) (CSR)	0	0		
Auxiliary Upfitter Switches — Two (LHL)	0	0	0	0
Cargo Area Lighting — Incandescent (LPE)	•	•		
— LED (by Mopar) (LCP)	0	0		
— LED rear lamp (late availability) (LDB)	0	0		
Cargo Compartment Floor Mat (by Mopar) (CKL)	0			
Cargo Partition — None (standard) (CTP)	•	•		
— With sliding window (XJ1)	0			
— Without window (CWC)	0			
Cargo Tie-downs — Floor	•			
— Side wall (CKT)	•			
Front Walk-thru Mat — Carpet (not available with passenger double seat; by Mopar) (CCL)	0	0		
— Slush (not available with passenger double seat; by Mopar) (CCK)	0	0		
High Headliner (not available on Low Roof; restrictions apply; see your dealer for details; by Mopar) (CHD)	0	0		
Instrument Panel with Bright Bezels (JBD)	0	0	0	0
Locking Glove Box (included with Interior Convenience Group) (JKA)	P	P	P	P
Power Door Locks — Speed-sensitive (JPH)	•	•	•	•
Rear Door Storage Net (included with Interior Convenience Group) (CKR)	P			
Seating Surfaces — Cloth (*A7)	•	•	•	•
— Vinyl (not available with swivel seats) (*B7)	0	0	0	0
Seats — Four-way manually adjustable driver- and front-passenger bucket (CDN/CDT)	•	•	•	•
— Driver's six-way adjustable with lumbar adjuster (not available with driver's suspension seat or passenger swivel seat) (CDL)	0	0	0	0
— Driver's and passenger six-way adjustable with lumbar adjuster (not available with passenger double seat, driver's swivel seat or driver's suspension seat) (CDU)	0	0	0	0
— Driver's suspension (not available with driver's swivel seat, heated driver's seat or six-way adjustable seat) (CXX)	0	0	0	0
— Driver's swivel (requires cloth seating surfaces, not available with six-way adjustable seats or cargo partition) (CEA)	0	0	0	0
— Heated driver's (requires six-way adjustable driver's seat; not available with driver's swivel seat) (CMB)	0	0	0	0
— Heated passenger (requires six-way adjustable driver/passenger seats) (CMC)	0	0	0	0
— Passenger double (requires four-way or six-way adjustable driver seats) (CAA)	0		0	

INTERIOR FEATURES (continued)

	Cargo Van	Windowed Van	Chassis Cab	Cutaway
CPOS	2TA	2TA	2TA	2TA
— Passenger-seat delete (includes deactivate passenger air bag and passenger seat belt mount delete) (CD9)	0	0	0	0
— Passenger swivel (requires cloth seating surfaces and driver's swivel seat; not available with cargo partition or heated seat) (CHR)	0	0	0	0
Shelf Above Roof Trim (included with Interior Convenience Group; not available with High Headliner by Mopar®) (CTA)	P	P	P	P
Spray-On Floor Liner (by Mopar) (XMF)	0	0		
Steering Column — Telescoping (SUC)	•	•	•	•
Steering Wheel — Leather-wrapped (SCC)	0	0	0	0
Tire Pressure Monitoring Light (XGM)	•	•	•	•
Upfit Interface Connectors (included with Rear-Speaker Wiring Prep and Ambulance Prep Package A) (BC3)	•	•	•	•
Wall Panels — Upper side (includes lower side) (CTE)	0			
— Lower side (CMG)	0	0		
Windows — Power with one-touch down feature (JPY)	•	•	•	•
— Window guards, rear (not available on 118-inch or 136-inch Standard Roof Cargo Vans or 136-inch 2500 Windowed Van; by Mopar) (XGC)	0	0		
Wood Floor — Rear (not available with Spray-On Floor Liner; included with Ambulance Prep Package A) (CME)	0/P	0		
UCONNECT®/MULTIMEDIA				
Mopar Web WiFi Hotspot ⁽⁹⁾ (restrictions apply) (XJU)	0	0	0	0
Rear-Speaker Wiring Prep (includes upfit interface connectors) (RED)	•	•	•	•
Uconnect 3 with 5-inch display (includes Media Hub with USB ⁽⁴⁰⁾ and auxiliary input steering wheel-mounted audio controls) (UAA)	•	•	•	•
Uconnect 3 NAV with 5-inch display (includes Navigation) (UAB)	0	0	0	0
Ram telematics with one-year service (RFQ/X9R)	0	0	0	0
Ram telematics with three-year subscription (RFQ/X9S)	0	0	0	0
Ram telematics with five-year subscription (RFQ/X9T)	0	0	0	0
SAFETY & SECURITY				
Air Bags ⁽²⁾ — Advanced driver and front-passenger (CG3)	•	•	•	•
— Supplemental side-curtain front (CJ4)	•	•	•	•
— Supplemental front-seat side (CJ1)	•	•	•	•
DOT-Certified Roadside Safety Kit (by Mopar) (ACL)	0	0	0	0
ParkSense® Rear Park Assist ⁽⁵⁾ (XAA)	0	0		
ParkView® Rear Back-Up Camera ⁽⁵⁾ (XAC)	•	•		
Rear Back-Up Camera Kit ⁽⁵⁾ (XA3)			•	•
Remote Keyless Entry (GXM)	•	•	•	•

SAFETY & SECURITY (continued)

	Cargo Van	Windowed Van	Chassis Cab	Cutaway
CPOS	2TA	2TA	2TA	2TA
Remote Start (by Mopar®) (JL)	0	0	0	0
Security Alarm ⁽³⁹⁾ (LSA)	0	0	0	0
PACKAGES/GROUPS				
Ambulance Prep Package A —Includes 220-amp alternator, wood floor, Upfit Interface Connector, passenger sliding door with fixed window, rear hinged doors with fixed windows, rear heater A/C prep package, speed control and 12-volt rear auxiliary power outlet (3500 159-inch wheelbase and 159-inch wheelbase extension models only) (AH2)	F			
Interior Cargo Shelf Package (requires cargo partition or cargo partition with sliding window; by Mopar) (CWN)	0			
Interior Convenience Group — Includes locking glove box, shelf above roof trim, underseat storage tray and rear door storage net on Cargo Van models (AJV)	0	0	0	0
Premium Appearance Group — Includes chrome grille and fog lamps (ALU)	0	0	0	0
Trailer Tow Group — Includes Class IV hitch receiver with 4- and 7-pin wiring harness (AHT/AHC)	0	0		
Upfitter's Prep Package — Restrictions apply (AZ3)		F		

• = Included. 0 = Optional. P = Available within Package noted. F = Fleet only.